

ROLLER'S Corso P 10–32 T



With telescopic spindle



Compact, robust quality tube cutter for plastic and composite tubes, Ø 10–32 mm, Ø ½–1 ¾", wall thickness s ≤ 4,5 mm.

- With space-saving, special smooth action telescopic spindle for fast, easy engagement and simple, right-angled cutting.
- 4 hardened counter pressure rollers, for exact guiding on the pipe and long life.
- Handy, ergonomic rotary handle of metal enables powerful engagement of the spindle.
- Precision, wide cutting wheel bearing on hardened, twist-protected axle ensures right-angled cutting.
- Proven quality cutting wheel made of tenacious special steel for extremely long life. Cutting wheel protected against touching the guide rollers by in-feed limitation.
- Integrated pipe deburrer with specially ground, exchangeable deburring blade.

Designation	Art.-No.	€
ROLLER'S Corso P 10–32 T	290001 A	58,02

Accessories

ROLLER'S cutting wheel P 10–32, s 4,5 for ROLLER'S Corso P 10–40 T	290023 A	19,51
--	----------	-------

ROLLER'S Corso P



With quick adjustment

Very robust quality pipe cutter for plastic and composite tubes, Ø 10–160 mm, Ø ½–6", wall thickness s ≤ 19 mm.

- Strong, easy grip design.
- Fast positioning of the cutting wheel in both directions. No unnecessary forward and backward turning of the spindle. For fast working.
- Strong spindle, long spindle guide and hardened guide rollers, for exact guiding on the pipe and long life.
- Handy, ergonomic rotary handle of metal enables powerful engagement of the spindle.
- Precision, wide cutting wheel bearing on hardened, twist-protected axle ensures right-angled cutting.
- Proven quality cutting wheel made of tenacious special steel for extremely long life. Cutting wheel protected against touching the guide rollers by in-feed limitation.

Designation	Pipes Ø	Wall thickness s	Art.-No.	€
-------------	---------	------------------	----------	---

ROLLER'S Corso P

with cutting wheel

P 10–40	10–40 mm / ½–1 ½"	7 mm	290050 A	154,66
P 10–63	10–63 mm / ½–2"	7 mm	290000 A	196,18
P 50–110, s 11	50–110 mm / 2–4"	11 mm	290100 A	234,59
P 50–110, s 16	50–110 mm / 2–4"	16 mm	290100 A-S16	238,74
P 50–110, s 19	50–90 mm / 2–3"	19 mm	290100 A-S19	256,39
P 110–160	110–160 mm / 4–6"	16 mm	290200 A	289,60

Accessories

ROLLER'S cutting wheel P 10–63, s 7 for ROLLER'S Corso P 10–40, P 10–63	290016 A	19,51
ROLLER'S cutting wheel P 50–315, s 11 for ROLLER'S Corso P 50–110, P 110–160	290116 A	23,67
ROLLER'S cutting wheel P 50–315, s 16 for ROLLER'S Corso P 50–110, P 110–160	290216 A	28,23
ROLLER'S cutting wheel P 50–315, s 19 for ROLLER'S Corso P 50–110, P 110–160	290316 A	45,57
ROLLER'S cutting wheels for other makes	See page 164	

s = wall thickness in mm

German Top Quality



P 50–110 optionally with cutting wheel wall thickness ≤ 11 / 16 / 19 mm

