


ROLLER'S pressing tongs Mini **ROLLER'S pressing rings**




German Top Quality



ROLLER'S Mini pressing tongs (2B)

with 2 tiltable monoblock pressing jaws.



Patent EP 1 952 948
Patent EP 2 347 862

ROLLER'S pressing tongs Mini ACz / Fz / HEz / RFz / RFlz

with teeth prevent burr formation on the pressing segments




Patent EP 2 027 971

ROLLER'S pressing ring S (PR-2B), continuously swivelable for accurate positioning of the pressing jaws in places with difficult access.



Example: ROLLER'S Mini V pressing tongs: Impression "V"
on pressed fitting for traceability according to EN 1775:2007



Accessory for ROLLER'S 22 kN radial presses:

System-specific pressing tongs Mini / pressing rings for all common press fitting systems.

- Can be driven by all ROLLER'S 22 kN radial presses. Read and follow the instructions for use and assembly instructions of the system provider/manufacturer.
- **Choose your own pressing tongs Mini / pressing rings!**
Just select the desired pressfitting system and pressing tongs size / pressing ring size in the table on pages 60–83. Please note that pressfitting systems for gas installation may only be pressed with the pressing tongs Mini which are highlighted in yellow in the table.
- **ROLLER'S Mini pressing tongs (2B)**
Very compact design and low weight of the ROLLER'S Mini pressing tongs (2B) due to special arrangement of the pressing tongs connection (Patent EP 1 952 948).
Recesses in the pressing jaws for safe guidance of the connecting lugs for offset-free pressing (Patent EP 2 347 862).
ROLLER'S Mini ACz/Fz/HEz/RFz/RFlz pressing tongs with teeth prevent burr formation on the pressfitting (Patent EP 2 027 971).
- **ROLLER'S pressing ring S (PR-2B)**
Pressing ring S (PR-2B), with 2 pressing jaws, continuously swivelable for accurate positioning of the pressing jaws in places with difficult access. Adapter tongs required, see page 83.
- Precisely worked and exactly rounded, system-specific press contour according to the respective pressfitting system for perfectly system-conformant, reliable pressing.
- The pressing tongs / pressing rings are made from tenacious, specially hardened special steel and they are therefore highly resistant. For maximum quality demands and long life.
- Confirmations of suitability see page 52.
- SHK liability acceptance agreements see page 53.

Traceability according to EN 1775:2007.

- ROLLER'S pressing tongs Mini with press contour F, M, V, SA, B, RN and UP have worked a specific marking in the press contour which leaves a lasting impression directly on the pressed fitting after the pressing process. This enables the user to check again whether the most suitable pressing tongs Mini have been used to make the pressfit connection even after the pressing process.
- With this traceability ROLLER fulfils the recommendation of the European standard EN 1775:2007 for the installation of pressfitting systems for gas.

ROLLER'S pressing tongs Mini / pressing rings

Accessory for ROLLER'S 22 kN radial presses

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
A			
AC-FIX PRESS (Global Piping Systems)	H 12		578396
	H 16		578400
	H 20		578406
	H 25		578408
	H 32		578412
	RFz 12		578490
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	VX 16		578552
	VX 20		578554
AC-FIX PRESS DUO (Global Piping Systems)	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
AC-FIX PRESS-MULTI (Global Piping Systems)	H 16		578400
	H 18		578404
	H 20		578406
	H 25		578408
	H 32		578412
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
ACOME ACOPEX ALU	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	U 16		578374
	U 20		578378
	U 32		578382
ACOME MT	ACz 12		578608
	ACz 16		578610
	ACz 20		578612
	ACz 25		578614
AHLSELL A-press elförzinkad M	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
AHLSELL A-press elförzinkad V	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
AHLSELL A-press koppar M	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
AHLSELL A-press koppar V	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
AHLSELL A-press rostfritt	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
AIRBEL PRESSCLIM	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
AIRBEL SERTINOX	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
ALB Sistema Multicapa	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	U 16		578374
	U 18		578376
	U 20		578378
	C 26		578392
	U 32		578382
	U 40		578386
ALB Sistema Multicapa Gas	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	U 16		578374
	U 20		578378
	C 26		578392
	U 32		578382
ALTECH Altech	RFz 12		578490
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
APE MULTYGAS Serie AP Gas	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
APE Serie AP	B 16		578468
	B 20		578472
	B 26		578474
	B 32		578476
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
APE Serie APL	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 18		578376
	U 20		578378

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
AQUATECHNIK Press-fitting metal	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	C 26		578392
	U 32		578382
AQUATECHNIK Universal	B 16		578468
	B 20		578472
	B 26		578474
	B 32		578476
	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
	F 32 S (PR-2B)	Mini Z8	574734 R
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	C 26		578392
	U 32		578382
ARKA DUROsystem	H 16		578400
	H 20		578406
	H 25		578408
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
Aschl NIR	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
ASSOTHERM IPC-RAC Carbon Steel	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
ASSOTHERM IPI-RAX Inox	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
ASSOTHERM IPI-RAX Inox Gas	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
ASSOTHERM IPM-Multistrato	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	THL 32		578368
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	C 26		578392
	U 32		578382
ASSOTHERM IPR-RRR Copper	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
ASSOTHERM IPR-RRR Copper Gas	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
ASTM F 1807 (Fittings with Copper Crimp Ring for PEX tubing)	US ¾"		578534
	US ½"		578536
	US ¾"		578538
	US 1"		578540
ATUSA ITALIA SYCPRESS CARBON STEEL PRESS FITTINGS	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
ATUSA ITALIA SYCPRESS STAINLESS STEEL PRESS FITTINGS	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
AUSTEC PEX-B, PEX-AL-PEX (AUS)	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
AUSTEC PEX-AL-PEX GAS (AUS)	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
AYOR FIXOCONNECT Press	H 12		578396
	H 16		578400
	H 20		578406
	H 25		578408
	RFz 12		578490
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	U 16		578374
	U 20		578378
	U 25		578380
AYOR FIXOMULTIX	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	U 32		578382
	U 40		578386

Pressfitting systems for gas installations may only be pressed with the pressing tongs Mini which are highlighted in yellow in the table.

Observe the national regulations. Read and observe the system provider's/manufacturer's instructions for use and assembly instructions.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For accommodating suitable pressing inserts.

³⁾ Only pressing tongs from designation "117" (1st quarter of 201), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

⁴⁾ For pipes with the EN technical standard. Observe the system provider's/manufacturer's instructions for use.

⁵⁾ For pipes with the ASTM technical standard. Observe the system provider's/manufacturer's instructions for use.

Suitability of the ROLLER'S pressing tools for pressfitting systems: Status 12.10.2022. The current status can be found on the Internet:

www.albert-roller.de → Downloads → Product Catalogues, Brochures → ROLLER Catalogue.

See page 79 for adapter tongs. Pressing tongs/pressing rings for other press fitting systems on request.

ROLLER'S pressing tongs Mini / pressing rings

Accessory for ROLLER'S 22kN radial presses

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
AYOR SOMATHERM FOR YOU -1	H 16		578400
	H 20		578406
	H 26		578410
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	U 16		578374
AYOR SOMATHERM FOR YOU -2	U 20		578378
	H 12		578396
	H 16		578400
	H 20		578406
	H 25		578408
	RFz 12		578490
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	U 16		578374
	U 20		578378
	U 25		578380
B			
Bampi BALPEX serie LP	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 18		578376
	U 20		578378
	C 26		578392
	U 32		578382
Bampi BALPEX serie MP	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
Bampi BALPEX Gas	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
BARBI EASYPRESS (Industrial Blansol)	H 12		578396
	H 16		578400
	H 20		578406
	H 25		578408
	H 32		578412
	RFz 12		578490
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
BARBI MULTIPLEX (Industrial Blansol)	H 14		578398
	H 16		578400
	H 18		578404
	H 20		578406
	H 25		578408
	H 26		578410
	H 32		578412
	RFz 16		578492
	RFz 18		578638
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
BEGETUBE/ IVAR	B 14		578466
	B 16		578468
	B 18		578470
	B 20		578472
	B 26		578474
	B 32		578476
Béné inox Série 41	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
Brass Form Master Press	H 16		578400
	H 18		578404
	H 20		578406
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	U 16		578374
	U 18		578376
Brass & Fittings PRESSMAN MultiPress	U 20		578378
	RFz 16		578492
	RFz 18		578638
	ACz 20		578612
	RFz 25		578496
	RFz 32		578498
Brass & Fittings PRESSMAN RetiPress	RFz 16		578492
	RFz 18		578638
	ACz 20		578612
	RFz 25		578496
	RFz 32		578498
BRASSTECH MULTItermoSAN Brasspress	B 16		578468
	B 20		578472
	B 26		578474
	B 32		578476
	F 16		578456
	F 20		578460
	F 26		578462
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 18		578376
	U 20		578378
	C 26		578392
	U 32		578382
C			
Cello Products Press	VUS ½" (OD 15,9 mm)		578566
	VUS ¾" (OD 22,2 mm)		578568
	VUS 1" (OD 28,6 mm)		578570
	VUS 1½" (OD 34,9 mm)		578606
CGR DYNAFLU multicouche	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	U 32		578382
	U 40		578386
CGR DYNAFLU PER	H 12		578396
	H 16		578400
	H 20		578406
	H 25		578408
	RFz 12		578490
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
CHIALI CHIALIPEX	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
Climatek Clima Therm	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
Climatrix Climatrix Rhinopex	TH 11,6		578344
	TH 16		578352
	TH 16 S (PR-2B)	Mini Z8	574782 R
ClouSet	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
Comap PEX Press	RFz 12		578490
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
Comap Multiskin	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	THL 32		578368
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 14		578372
	U 16		578374
	U 18		578376
	U 20		578378
	U 32		578382
	H 14		578398
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
Comap Multiskin Gas	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	THL 32		578368
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	U 32		578382
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
COMISA Press System	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	H 14		578398
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	B 14		578466
	B 16		578468
COMISA Press System Gas	B 18		578470
	B 20		578472
	B 26		578474
	B 32		578476
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
CONEL CONNECT MULTI	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
	F 32 S (PR-2B)	Mini Z8	574734 R
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
(DN 26)	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	VP 16		578482
	VP 20		578484
	VP 32		578488

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
CONEL CONNECT MV2	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
	F 32 S (PR-2B)	Mini Z8	574734 R
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
Conex Bänninger >B< Flex	F 16		578456
	F 18		578458
	F 20		578460
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 32 S (PR-2B)	Mini Z8	574734 R
	H 16		578400
	H 18		578404
	H 20		578406
	H 25		578408
	H 32		578412
	RFz 16		578492
	RFz 18		578638
	RFz 20		578494
	RFz 25		578496
Conex Bänninger >B< MaxiPro	RFz 32		578498
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 32		578364
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	BMP ½"		578700
	BMP ¾"		578702
	BMP 1"		578704
	BMP 1½"		578706
	BMP 2"		578708
Conex Bänninger >B< Press	BMP 2½"		578710
	BMP 3"		578712
	BMP 3½"		578714
	V 12		578324
	V 14		578326
	V 15		578328
	V 16		578330
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 14 S (PR-2B)	Mini Z8	574800 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 16 S (PR-2B)	Mini Z8	574802 R
	V 18 S (PR-2B)	Mini Z8	574756 R
Conex Bänninger >B< Press Carbon	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
	V 12		578324
	V 14		578326
	V 15		578328
Conex Bänninger >B< Press Gas	V 16		578330
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 14 S (PR-2B)	Mini Z8	574800 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 16 S (PR-2B)	Mini Z8	574802 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
	V 15		578328
	V 18		578332
	V 22		578334
Conex Bänninger >B< Press Inox	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R

Pressfitting systems for gas installations may only be pressed with the pressing tongs Mini which are highlighted in yellow in the table.

Observe the national regulations. Read and observe the system provider's/manufacture's instructions for use and assembly instructions.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For accommodating suitable pressing inserts.

³⁾ Only pressing tongs from designation "117" (1st quarter of 201), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

⁴⁾ For pipes with the EN technical standard. Observe the system provider's/manufacture's instructions for use.

⁵⁾ For pipes with the ASTM technical standard. Observe the system provider's/manufacture's instructions for use.

Suitability of the ROLLER'S pressing tools for pressfitting systems: Status 12.10.2022. The current status can be found on the Internet:

www.albert-roller.de → Downloads → Product Catalogues, Brochures → ROLLER Catalogue.

See page 79 for adapter tongs. Pressing tongs/pressing rings for other press fitting systems on request.

ROLLER'S pressing tongs Mini / pressing rings

Accessory for ROLLER'S 22 kN radial presses

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
Conex Bänninger >B< Press Solar	V 12		578324
	V 14		578326
	V 15		578328
	V 16		578330
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 14 S (PR-2B)	Mini Z8	574800 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 16 S (PR-2B)	Mini Z8	574802 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
D			
Debrunner Acifer d-a Presssystem C-Stahl	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
DIWAsystems	TH 14		578348
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
DUOPIPE Systems DUOFIL MKSYSTEM	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
DW Verbundrohr multitubo systems	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
E			
EBRILLE Isomonflex	U 16		578374
	U 20		578378
	U 25		578380
	H 26		578410
	TH 26		578362
	TH 26 S (PR-2B)	Mini Z8	574794 R
	U 32		578382
EBRILLE Moniflex	U 16		578374
	U 20		578378
	U 25		578380
	H 26		578410
	TH 26		578362
	TH 26 S (PR-2B)	Mini Z8	574794 R
	U 32		578382
EFFEBI EFFEBI-PRESS Aisi316 System M Profile ¹⁾	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
EFFEBI EFFEBI-PRESS Aisi316 System V Profile	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
EFFEBI EFFEBI-PRESS Carbon-S System M Profile ¹⁾	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
EFFEBI EFFEBI-PRESS Carbon-S System V Profile	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
EFFEBI EFFEBI-PRESS UNICO	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
EFFEBI EFFEBI-PRESS UNICO [®] (GAS)	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
EFFEBI PRESSTIGE	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
EFFEBI PRESSTIGE 4E05	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
EFFEBI PRESSTIGE-GAS [®]	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
EFFEBI TOF-GAS MULTIPINZA	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
EFFEBI TOF MULTIPINZA	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	U 16		578374
	U 20		578378
	U 32		578382
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
EFFEBI TOF MULTIPINZA	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	F 16		578456
	F 18		578458
	F 20		578460
	F 26		578462
	F 32		578464
	Fz 40		578478
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
	F 32 S (PR-2B)	Mini Z8	574734 R
	H 16		578400
	H 18		578404
	H 20		578406
EFIELD MULTILAYER PRESS DINGAS	H 26		578410
	H 32		578412
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
EFIELD MULTILAYER PRESS WATER	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
Elkhart APOLLOXPRESS Fittings Copper and Low-Lead Brass ELYDAN izeo	VUS ¼" (OD 15,9 mm)		578566
	VUS ¾" (OD 22,2 mm)		578568
	VUS 1" (OD 28,6 mm)		578570
	VUS 1¼" (OD 34,9 mm)		578606
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
EMMETI GERPEX- FIVPRESS	B 16		578468
	B 20		578472
	B 26		578474
	B 32		578476
	F 16		578456
	F 20		578460
	H 16		578400
	H 20		578406
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	U 16		578374
	U 20		578378
	TH 14		578348
	TH 15		578350
	TH 16		578352
	TH 17		578354
	TH 20		578358
	TH 25		578360
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
EMPUR	TH 14		578348
	TH 15		578350
	TH 16		578352
	TH 17		578354
	TH 20		578358
	TH 25		578360
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
Esta Rohr simplesta SH M	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Esta Rohr simplesta ST M	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
EUROTUBI EUROPA C-Steel Pressfitting System M-Profile ¹⁾	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
EUROTUBI EUROPA Inox Pressfitting System M-Profile ¹⁾	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Evans Components Presslok	VAU 15 (½")		578630
	VAU 20 (¾")		578632
	VAU 25 (1")		578634
	F		
FAR Rubinetterie PRESSFAR	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	H 14		578398
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	U 14		578372
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
F.B.Q. BARONIO BQ PRESS SOLAR	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
F.B.Q. BARONIO BQ PRESS WATER	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
F.B.Q. BARONIO BQ PRESS C-STEEL	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
F.B.Q. BARONIO BQ PRESS GAS	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
Ferrofloor DUO Press FERCO PEX	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
Ferrofloor DUO Press MULTIFER	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
FERRO systems BRASELI GPF GAS	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 25 S (PR-2B)	Mini Z8	574792 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
FERRO systems BRASELI GPF MULT Pressfitting MULTICAPA	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
FERRO systems BRASELI GPF PPSU Pressfitting PEX y MULTICAPA	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
FERRO systems BRASELI GPF PRESS Pressfitting PEX	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498

Pressfitting systems for gas installations may only be pressed with the pressing tongs Mini which are highlighted in yellow in the table.

Observe the national regulations. Read and observe the system provider's/manufacturer's instructions for use and assembly instructions.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For accommodating suitable pressing inserts.

³⁾ Only pressing tongs from designation "117" (1st quarter of 201), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

⁴⁾ For pipes with the EN technical standard. Observe the system provider's/manufacturer's instructions for use.

⁵⁾ For pipes with the ASTM technical standard. Observe the system provider's/manufacturer's instructions for use.

Suitability of the ROLLER'S pressing tools for pressfitting systems: Status 12.10.2022. The current status can be found on the Internet:

www.albert-roller.de → Downloads → Product Catalogues, Brochures → ROLLER Catalogue.

See page 79 for adapter tongs. Pressing tongs/pressing rings for other press fitting systems on request.

ROLLER'S pressing tongs Mini / pressing rings

Accessory for ROLLER'S 22 kN radial presses

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
FILINOX Instalpress Steel	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
FILINOX Instalpress Inox	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Fittings Estándar ECO-PRESS	Rfz 16		578492
	Rfz 20		578494
	Rfz 25		578496
	Rfz 32		578498
Fittings Estándar MULTICAPA	Rfz 16		578492
	Rfz 18		578638
	Rfz 20		578494
	Rfz 25		578496
	Rfz 32		578498
Fittings Estándar PE-X	Rfz 16		578492
	Rfz 20		578494
	Rfz 25		578496
	Rfz 32		578498
FORNARA ForPress	B 16		578468
	B 20		578472
	B 26		578474
	B 32		578476
	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
	F 32 S (PR-2B)	Mini Z8	574734 R
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	C 26		578392
	U 32		578382
FORZA WATER CRIMP (AUS)	K16/P18		578592
	K20		578594
	K25		578596
	K32		578598
	K1/40		578600
FORZA STAINLESS WATER CRIMP	K16/P18		578592
	K20		578594
	U 16		578374
	U 20		578378
FORZA STESSO PEX WATER AND GAS CRIMP AUS)	U 25		578380
	U 32		578382
	U 40		578386
FORZA GAS CRIMP (AUS)	K16/P18		578592
	K20		578594
	K25		578596
	K32		578598
	K1/40		578600
FORZA COPPER V PRESS (AUS)	VAU 15 (OD 12,7 mm)		578630
	VAU 20 (OD 19,1 mm)		578632
	VAU 25 (OD 25,4 mm)		578634
	VAU 32 (OD 31,8 mm)		578636
	VAU 15 S (PR-2B) (OD 12,7 mm)	Mini Z8	574804 R
	VAU 20 S (PR-2B) (OD 19,1 mm)	Mini Z8	574806 R
	VAU 25 S (PR-2B) (OD 25,4 mm)	Mini Z8	574808 R
FORZA STAINLESS V PRESS (AUS)	V 15		578328
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
FRABO FRABOPRESS 316 GAS M	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
FRABO FRABOPRESS 316 GAS V	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574758 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
FRABO FRABOPRESS 316 M	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
FRABO FRABOPRESS 316 V	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
FRABO FRABOPRESS CHROME	V 22 S (PR-2B)	Mini Z8	574758 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
FRABO FRABOPRESS C-STEEL M	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
FRABO FRABOPRESS C-STEEL V	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
FRABO FRABOPRESS GAS M	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
FRABO FRABOPRESS GAS V	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	V 12		578324
	V 15		578328
	V 18		578332
FRABO FRABOPRESS KOMBI	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
FRABO FRABOPRESS M	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
FRABO FRABOPRESS SOLAR	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	V 15		578328
FRABO FRABOPRESS V	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
Fränkische alpeX-duo XS	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
	F 32 S (PR-2B)	Mini Z8	574734 R
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
Fränkische alpeX F50 PROFI	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
	F 32 S (PR-2B)	Mini Z8	574734 R
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
(DN 26)	U 25		578380
	U 32		578382
	VP 16		578482
	VP 20		578484
	VP 32		578488
	Fz 40		578478
G			
gabotherm H+S	TH 10		578342
	TH 12		578346
	TH 14		578348
	TH 15		578350
	TH 16		578352
	TH 17		578354
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
Gallagher USA YogaPipe ACR	H 12 (1/2")		578396
	U 14 (3/4")		578372
	U 16 (1/2")		578374
	U 18 (3/4")		578376
	U 20 (1/2")		578378
	U 25 (3/4")		578380
	U 32 (1 1/4")		578382
Geberit Mapress C-STÄHL	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Geberit Mapress Edelstahl	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Geberit Mapress Edelstahl Gas	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
Geberit Mapress Kupfer	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Geberit Mapress Kupfer Gas	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
Geberit Mepla	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Geberit Mepla Therm	G 16		578444
	G 20		578446
	G 26		578448
	G 32		578450
Geberit Volex	G 40		578452
	G 16		578444
	G 20		578446
	G 26		578448
General Fittings 5T00	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
General Fittings Ewoprex	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
General Fittings Serie 5S00	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	U 32		578382
	U 40		578386
	B 16		578468
	B 18		578470
	B 20		578472
	B 26		578474
	B 32		578476
	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
	F 32 S (PR-2B)	Mini Z8	574734 R
	H 16		578400
	H 18		578404
	H 20		578406
	H 25		578408
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386

Pressfitting systems for gas installations may only be pressed with the pressing tongs Mini which are highlighted in yellow in the table.

Observe the national regulations. Read and observe the system provider's/manufacturer's instructions for use and assembly instructions.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For accommodating suitable pressing inserts.

³⁾ Only pressing tongs from designation "117" (1st quarter of 201), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

⁴⁾ For pipes with the EN technical standard. Observe the system provider's/manufacturer's instructions for use.

⁵⁾ For pipes with the ASTM technical standard. Observe the system provider's/manufacturer's instructions for use.

Suitability of the ROLLER'S pressing tools for pressfitting systems: Status 12.10.2022. The current status can be found on the Internet:

www.albert-roller.de → Downloads → Product Catalogues, Brochures → ROLLER Catalogue.

See page 79 for adapter tongs. Pressing tongs/pressing rings for other press fitting systems on request.

ROLLER'S pressing tongs Mini / pressing rings

Accessory for ROLLER'S 22kN radial presses

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
General Fittings Trident	B 16		578468
	F 16		578456
	F 16 S (PR-2B)	Mini Z8	574728 R
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	U 32		578382
General Fittings Trident Gas	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	U 32		578382
Giacomini Raccordi RM Giacomini	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	U 16		578374
Giacomini RM MULTIGAS	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	U 16		578374
	U 20		578378
Giacomini Valvole Giacomini serie R850V	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Golan Pipe Systems (Scandinavia) Alu-Pres	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
Grinnell G-PRESS Copper Fittings	VUS ½" (OD 15,9 mm)		578566
	VUS ¾" (OD 22,2 mm)		578568
	VUS 1" (OD 28,6 mm)		578570
	VUS 1¼" (OD 34,9 mm)		578606
GS Wärmesysteme System TH	TH 14		578348
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
GS Wärmesysteme System V	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
H			
HakaGerodur HAKASAN	TH 10		578342
	TH 11,6		578344
	TH 12		578346
	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
HASTINIK Hastinik/Hiltpress	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
heima24	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
HELIROMA Klimapress	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
Henco	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	HE 32		578370
	H 16		578400
	H 20		578406
Herotec tempusPRESS PLUS	H 25		578408
	H 32		578412
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
Herotec tempusPRESS PLUS PPSU	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
	H 16		578400
	H 20		578406
	H 25		578408
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
	TH 40		578624
HERZ PIPEFIX	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
	TH 10		578342
	TH 16		578352
HIDRONIX MULTIGAS	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	TH 16		578352
	TH 20		578358

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
HIDRONIX MULTIPIPE	TH 14		578348
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	H 14		578398
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	U 14		578372
	U 16		578374
	U 18		578376
	U 20		578378
	C 26		578392
	U 32		578382
HIDRONIX UNICO	TH 14		578348
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	H 14		578398
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	U 14		578372
	U 16		578374
	U 18		578376
	U 20		578378
	C 26		578392
	U 32		578382
HITEC Sistema Multistrato	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
HITHERM-ISOTUBI NUMEPRESS	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
HITHERM-ISOTUBI HTpress	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
HITHERM-ISOTUBI HTfire	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
HITHERM-ISOTUBI HTair	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Hopewell press fit system	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
hp praski BAVARIA-press	TH 10		578342
	TH 12		578346
	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
I			
ICMA Sempiter	H 16		578400
	H 20		578406
	H 25		578408
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	U 25		578380
ICMA Sempigas	C 26		578392
	U 32		578382
	U 40		578386
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
Idrosanitaria Bonomi Homegas	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
Idrosanitaria Bonomi Idropress	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	TH 16		578352
	TH 18		578356
	TH 20		578358
IDROSISTEMI Ta-Press	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
	F 32 S (PR-2B)	Mini Z8	574734 R
	Fz 40		578478
	H 16		578400
IDROTRADE Storm Multipinza	H 20		578406
	H 26		578410
	H 32		578412
	U 16		578374
	U 20		578378
	C 26		578392
	U 32		578382
	U 40		578386
	B 16		578468
	B 20		578472
	B 26		578474
	B 32		578476
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	THL 32		578368
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378

Pressfitting systems for gas installations may only be pressed with the pressing tongs Mini which are highlighted in yellow in the table.

Observe the national regulations. Read and observe the system provider's/manufacturer's instructions for use and assembly instructions.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For accommodating suitable pressing inserts.

³⁾ Only pressing tongs from designation "117" (1st quarter of 201), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

⁴⁾ For pipes with the EN technical standard. Observe the system provider's/manufacturer's instructions for use.

⁵⁾ For pipes with the ASTM technical standard. Observe the system provider's/manufacturer's instructions for use.

Suitability of the ROLLER'S pressing tools for pressfitting systems: Status 12.10.2022. The current status can be found on the Internet:

www.albert-roller.de → Downloads → Product Catalogues, Brochures → ROLLER Catalogue.

See page 79 for adapter tongs. Pressing tongs/pressing rings for other press fitting systems on request.

ROLLER'S pressing tongs Mini / pressing rings

Accessory for ROLLER'S 22kN radial presses

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
IDROTRADE StormPRES ¹⁾	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
IDROTRADE StormSTEEL ¹⁾	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
ILTA INOX/CHIBRO Pressfitting Cuni	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
ILTA INOX/CHIBRO Pressfitting inox	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Instantor Copper Press Imperial	VI ½" (OD 14,7 mm)		578716
	VI ¾" (OD 21,0 mm)		578718
	VI 1" (OD 27,4 mm)		578720
Instantor Copper Press Metric	M 15		578312
	M 22		578316
	M 28		578318
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 22 S (PR-2B)	Mini Z8	574742 R
Instantor Press System	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
IPA IPANA Press	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	TH 10		578342
	TH 11,6		578344
	TH 12		578346
	TH 14		578348
	TH 15		578350
	TH 16		578352
	TH 17		578354
IPA THu IPANA Press	TH 18		578356
	TH 20		578358
	TH 22		578588
	TH 25		578360
	TH 26		578362
	TH 28		578590
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
IPALPEX (Industrie du Plastique et Accessoires)	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	THL 32		578368
	TH 40		578624
	K16/P18		578592
IPLEX PIPELINES AUSTRALIA Iplex Pro-fit	K16/P18		578592
	K20		578594
	K25		578596
	K32		578598
	K1/40		578600
	K16/P18		578592
	K20		578594
	K25		578596
IPLEX PIPELINES AUSTRALIA Iplex K2	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
IVAR ALPEX-GAS	B 20		578472
	B 26		578474
	B 32		578476
IVAR MULTI PRESS GAS ITALIA	TH 16		578352
	TH 20		578358
	TH 26		578362
	H 16		578400
	H 20		578406
	H 26		578410
	U 16		578374
	U 20		578378
IVAR Multi Press MP	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	F 16		578456
	F 18		578458
	F 20		578460
	F 26		578462
	F 32		578464
	Fz 40		578478
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
IVAR Multi Press Leak (MPL)	F 32 S (PR-2B)	Mini Z8	574734 R
	H 16		578400
	H 18		578404
	H 20		578406
	H 25		578408
	H 26		578410
	H 32		578412
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	C 26		578392
	U 32		578382
	U 40		578386
	B 16		578468
	B 18		578470
	B 20		578472
	B 26		578474
	B 32		578476
IVAR Plastic Multi Press PMP	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
	F 32 S (PR-2B)	Mini Z8	574734 R
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
IVAR Plastic Multi Press PMP	U 16		578374
	U 20		578378
	U 25		578380
	C 26		578392
	U 32		578382
	B 16		578468
	B 20		578472
	B 26		578474
	B 32		578476

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
IVAR Plastic Multi Press Leak (PMPL)	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
	F 32 S (PR-2B)	Mini Z8	574734 R
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	U 16		578374
	U 20		578378
	C 26		578392
	U 32		578382
	B 16		578468
	B 20		578472
	B 26		578474
	B 32		578476
IVT Edelstahl- Presssystem	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
IVT PRIPRESS	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
J			
Jäger - Aquatec Aquapress H	H 14		578398
	H 16		578400
	H 17		578402
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	U 40		578386
Jäger - Aquatec C-Stahl Press Typ M	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
Jäger - Aquatec Edelstahl Press Typ M	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
Jäger - Aquatec Kupfer Press Typ V	M 35 S (PR-2B)	Mini Z8	574746 R
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
Jansen AG JANSEN COMISA	TH 14		578348
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
Jaraflex- Presssystem	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
JUNGWOO JWPress	VUS ½" (OD 15,9 mm)		578566
	VUS ¾" (OD 22,2 mm)		578568
	VUS 1" (OD 28,6 mm)		578570
	VUS 1¼" (OD 34,9 mm)		578606
K			
KAN KAN-therm Press	U 16		578374
	U 20		578378
	U 25		578380
	C 26		578392
	U 32		578382
KAN KAN-therm Press LBP	U 40		578386
	TH 14		578348
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
KAN KAN-therm Inox	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 14		578372
	U 16		578374
	U 20		578378
	U 25		578380
	C 26		578392
	U 32		578382
	U 40		578386
	M 12		578310
	M 15		578312
	M 18 ¹⁾		578314
KAN KAN-therm Steel	M 22		578316
	M 28 ¹⁾		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	M 12		578310
	M 15		578312
KAN KAN-therm UltraPRESS	M 18 ¹⁾		578314
	M 22		578316
	M 28 ¹⁾		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	TH 14		578348
KE KELIT COPPERFIX Kupfer	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 14		578372
KE KELIT COPPERFIX Kupfer	U 16		578374
	U 20		578378
	U 25		578380
	C 26		578392
	U 32		578382
	U 40		578386
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
KE KELIT COPPERFIX Kupfer	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R

Pressfitting systems for gas installations may only be pressed with the pressing tongs Mini which are highlighted in yellow in the table.

Observe the national regulations. Read and observe the system provider's/manufacturer's instructions for use and assembly instructions.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For accommodating suitable pressing inserts.

³⁾ Only pressing tongs from designation "117" (1st quarter of 201), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

⁴⁾ For pipes with the EN technical standard. Observe the system provider's/manufacturer's instructions for use.

⁵⁾ For pipes with the ASTM technical standard. Observe the system provider's/manufacturer's instructions for use.

Suitability of the ROLLER'S pressing tools for pressfitting systems: Status 12.10.2022. The current status can be found on the Internet:

www.albert-roller.de → Downloads → Product Catalogues, Brochures → ROLLER Catalogue.

See page 79 for adapter tongs. Pressing tongs/pressing rings for other press fitting systems on request.

ROLLER'S pressing tongs Mini / pressing rings

Accessory for ROLLER'S 22 kN radial presses

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
KE KELIT KELIT KELOX	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
KE KELIT KELOX-PPSU-W	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
KE KELIT KELOX-ULTRAX	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
KE KELIT KELOX-ULTRAX-W	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
KE KELIT KELO-WINDOW-U	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
KE KELIT KELOX-WINDOW-W	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
KE KELIT steelFIX C-Stahl	U 40		578386
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
KE KELIT steelFIX Edelstahl	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
KEMBLA KemPress (AUS)	VAU 15 (OD 12,7 mm)		578630
	VAU 20 (OD 19,1 mm)		578632
	VAU 25 (OD 25,4 mm)		578634
	VAU 32 (OD 31,8 mm)		578636
KEMBLA KemPress Gas (AUS)	VAU 15 (OD 12,7 mm)		578630
	VAU 20 (OD 19,1 mm)		578632
	VAU 25 (OD 25,4 mm)		578634
	VAU 32 (OD 31,8 mm)		578636
KISAN Kisan KD	KI 16		578524
	KI 20		578526
	KI 25		578528
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 25 S (PR-2B)	Mini Z8	574798 R
KISAN Kisan WL	KI 16		578524
	KI 20		578526
	KI 25		578528
	KI 32		578530
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
KISAN Kisan WM	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
KISAN Kisan WR	KI 16		578524
	KI 20		578526
	KI 25		578528
	KI 32		578530
KISAN Kistan C	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
	TH 20		578358
	TH 25		578360
	TH 32		578364
	TH 40		578624
KISAN Kistan Inox	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
KISAN Kistan C	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
KISAN Kistan Inox	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
L			
LEGEND-PRESS press fitting system	VUS ½" (OD 15,9 mm)		578566
	VUS ¾" (OD 22,2 mm)		578568
	VUS 1" (OD 28,6 mm)		578570
	VUS 1¼" (OD 34,9 mm)		578606
LK Systems LK >B<Press	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
LK Systems LK >B<Press Elförzinkat	V 35 S (PR-2B)	Mini Z8	574762 R
	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
LK Systems LK >B<Press Gas	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
LK Systems LK Universal	V 35 S (PR-2B)	Mini Z8	574762 R
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
LVI-DAHL Altech-Alupex	TH 40		578624
	U 16		578374
	U 20		578378
	U 25		578380
MAINCOR MAINPRESS	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
MAINCOR MAINFLOR	U 16		578374
	U 20		578378
Mair Heiztechnik M-Press	H 11,5		578394
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
Ma.s.ter System PRESSMASTER	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
Meier Tobler Metaplast - Stramax Serie MM	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	H 14		578398
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	U 14		578372
	U 16		578374
Meier Tobler Metaplast - Stramax Serie MM	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
	H 16		578400
	H 20		578406
	H 25		578408
	H 32		578412
	RFz 16		578492
	RFz 20		578494
Meier Tobler Metaplast - Stramax Serie MM	RFz 25		578496
	RFz 32		578498
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
Meier Tobler Metaplast - Stramax Serie MM	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
METALGRUP Permatubo	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
METALGRUP PexGrup	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
METALGRUP MultiGrup	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
Mueller Industries Streamline PRS	VUS ½" (OD 15,9 mm)		578566
	VUS ¾" (OD 22,2 mm)		578568
	VUS 1" (OD 28,6 mm)		578570
	VUS 1¼" (OD 34,9 mm)		578606
MULTITHERM PRESSSYSTEM	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
Multicapac Industrial AIS PEX	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
Multicapac Industrial AIS XPRT	H 16		578400
	H 20		578406
	H 25		578408
	H 26		578410
	H 32		578412
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
Multicapac Industrial multitubo systems MC	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
Multicapac Industrial multitubo systems MM	H 16		578400
	H 20		578406
	H 25		578408
	H 26		578410
	H 32		578412
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
N			
NEUTHERM MEKUPRESS-HT	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
NIBCO (USA) Press System Copper	VUS ½" (OD 15,9 mm)		578566
	VUS ¾" (OD 22,2 mm)		578568
	VUS 1" (OD 28,6 mm)		578570
	VUS 1¼" (OD 34,9 mm)		578606

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
NICOLL FLUXO	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
NUPI Industrie Italiane Multinupi	B 16		578468
	B 18		578470
	B 20		578472
	B 26		578474
	B 32		578476
	F 16		578456
	F 18		578458
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
	F 32 S (PR-2B)	Mini Z8	574734 R
Nussbaum Optifitt-Press Optiflex-Flowpress	H 16		578400
	H 18		578404
	H 20		578406
	H 25		578408
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 14		578372
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	C 26		578392
	U 32		578382
	U 40		578386
Nussbaum Optipress Aquaplus	VMP ¾" (OD 17,2 mm)		578660
	VMP ½" (OD 21,3 mm)		578662
	VRX 16		578640
	VRX 20		578642
	VRX 25		578644
	VRX 32		578646
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
Nussbaum Optipress-Gaz	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
Nussbaum Optipress-Therm	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
O	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
Oventrop Cofit P	H 16 A		578420
	H 20 A		578426
	H 26 A		578430
	H 32 A		578432
Oventrop Cofit PD	H 16 A		578420
	H 20 A		578426
	H 26 A		578430
Oventrop Cofit PDK	H 16 A		578420
	H 20 A		578426
	H 26 A		578430
Oventrop Cofit PD-HT	H 16 A		578420
	H 20 A		578426
	H 26 A		578430
Oventrop Cofit PDK-HT	H 16 A		578420
	H 20 A		578426
	H 26 A		578430

Pressfitting systems for gas installations may only be pressed with the pressing tongs Mini which are highlighted in yellow in the table.

Observe the national regulations. Read and observe the system provider's/manufacturer's instructions for use and assembly instructions.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For accommodating suitable pressing inserts.

³⁾ Only pressing tongs from designation "117" (1st quarter of 201), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

⁴⁾ For pipes with the EN technical standard. Observe the system provider's/manufacturer's instructions for use.

⁵⁾ For pipes with the ASTM technical standard. Observe the system provider's/manufacturer's instructions for use.

Suitability of the ROLLER'S pressing tools for pressfitting systems: Status 12.10.2022. The current status can be found on the Internet:

www.albert-roller.de → Downloads → Product Catalogues, Brochures → ROLLER Catalogue.

See page 79 for adapter tongs. Pressing tongs/pressing rings for other press fitting systems on request.

ROLLER'S pressing tongs Mini / pressing rings

Accessory for ROLLER'S 22 kN radial presses

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
P			
PBTub	RFz 12		578490
SERTIPRESS	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
PBTub	M 15		578312
SERTI-STEEL ¹⁾	M 18		578314
	M 22		578316
	M 28		578318
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
Pegler Yorkshire	M 12		578310
XPress Carbon	M 15		578312
	M 18 ¹⁾		578314
	M 22		578316
	M 28 ¹⁾		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Pegler Yorkshire	M 12		578310
XPress Copper	M 15		578312
	M 18 ¹⁾		578314
	M 22		578316
	M 28 ¹⁾		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Pegler Yorkshire	M 15		578312
XPress Copper	M 18 ¹⁾		578314
Gas	M 22		578316
	M 28 ¹⁾		578318
	M 35		578390
Pegler Yorkshire	M 15		578312
XPress	M 18 ¹⁾		578314
Stainless	M 22		578316
	M 28 ¹⁾		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Pegler Yorkshire	M 15		578312
XPress Stainless	M 18 ¹⁾		578314
Gas	M 22		578316
	M 28 ¹⁾		578318
	M 35		578390
PERFEXIM	U 16		578374
PERFEKT	U 20		578378
SYSTEM	U 25		578380
	U 32		578382
PERFILTUBO	U 16		578374
PERFILALUPEX	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
PERFILTUBO	M 15		578312
PERFILPRESS	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
PEXTUBE	RFz 16		578492
PexTube	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
Pipelife	M 15		578312
C-PRESS	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Pipelife	TH 16		578352
RADOPRESS	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
Pipetec Connect	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
PLASTICA ALFA	TH 16		578352
Multiplex	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
PLASTICA ALFA	TH 16		578352
Multiplex	TH 20		578358
Air	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
PLASTICA ALFA	TH 16		578352
Multipexalfa Gas	TH 20		578358
	TH 26		578362
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
PLASTICA ALFA	TH 16		578352
Multipexalfa Gas	TH 20		578358
protek	TH 26		578362
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
PLASTICA ALFA	TH 16		578352
Multiplex	TH 20		578358
Plus	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
PLASTICA ALFA	TH 16		578352
Multiplex	TH 20		578358
Thermo	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
PLASTICA ALFA	TH 16		578352
Multiplex	TH 20		578358
Thermo Plus	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
PLÁSTICOS	U 16		578374
FERRO	U 20		578378
FERROPLAST	U 25		578380
Pressfitting	U 32		578382
MULTICAPA			
PLÁSTICOS	U 16		578374
FERRO	U 20		578378
FERROPLAST	U 25		578380
Pressfitting	U 32		578382
PEX y MULTICAPA			
PLÁSTICOS	RFz 16		578492
FERRO	RFz 20		578494
FERROPLAST	RFz 25		578496
Pressfitting	RFz 32		578498
PEX			
PLUMBING PLUS	K16/P18		578592
EZIPEX Crimp	K/20		578594
(AUS)	K/25		578596
	K/32		578598
	K1/40		578600
PLUMBING PLUS	K16/P18		578592
EZIPEX Gas	K/20		578594
(AUS)	K/25		578596
	K/32		578598
	K1/40		578600
PLUMBING PLUS	Yz 16 UNI		578740
UNIPEX	Yz 20 UNI		578742
Water & Gas (AUS)	Yz 25 UNI		578744
	Yz 32 UNI		578746
PLUMBING PLUS	VAU 15 (OD 12,7 mm)		578630
EZIPRESS Gas	VAU 20 (OD 19,1 mm)		578632
(AUS)	VAU 25 (OD 25,4 mm)		578634
	VAU 32 (OD 31,8 mm)		578636
	VAU 15 S (PR-2B) (OD 12,7 mm)	Mini Z8	574804 R
	VAU 20 S (PR-2B) (OD 19,1 mm)	Mini Z8	574806 R
	VAU 25 S (PR-2B) (OD 25,4 mm)	Mini Z8	574808 R
PLUMBING PLUS	VAU 15 (OD 12,7 mm)		578630
EZIPRESS Solar	VAU 20 (OD 19,1 mm)		578632
(AUS)	VAU 25 (OD 25,4 mm)		578634
	VAU 15 S (PR-2B) (OD 12,7 mm)	Mini Z8	574804 R
	VAU 20 S (PR-2B) (OD 19,1 mm)	Mini Z8	574806 R
	VAU 25 S (PR-2B) (OD 25,4 mm)	Mini Z8	574808 R
PLUMBING PLUS	VAU 15 (OD 12,7 mm)		578630
EZIPRESS Water	VAU 20 (OD 19,1 mm)		578632
(AUS)	VAU 25 (OD 25,4 mm)		578634
	VAU 32 (OD 31,8 mm)		578636
	VAU 15 S (PR-2B) (OD 12,7 mm)	Mini Z8	574804 R
	VAU 20 S (PR-2B) (OD 19,1 mm)	Mini Z8	574806 R
	VAU 25 S (PR-2B) (OD 25,4 mm)	Mini Z8	574808 R
POLYPIPE	TH 10		578342
POLYSURE	TH 15		578350
	TH 22		578588
	TH 28		578590
POLYSAN	M 15		578312
Handelsöses.	M 18		578314
m.b.H. & Co KG	M 22		578316
(Krems/Öster-	M 28		578318
reich)	M 35		578390
POLYSAN-	M 15 S (PR-2B)	Mini Z8	574738 R
C Stahl-Press-	M 18 S (PR-2B)	Mini Z8	574740 R
System M	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
POLYSAN	M 15		578312
Handelsöses.	M 18		578314
m.b.H. & Co KG	M 22		578316
(Krems/Öster-	M 28		578318
reich)	M 35		578390
POLYSAN-	M 15 S (PR-2B)	Mini Z8	574738 R
Edelstahl	M 18 S (PR-2B)	Mini Z8	574740 R
Press-System	M 22 S (PR-2B)	Mini Z8	574742 R
1.4520	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
POLYSAN- Edelstahl Press-System Gas	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich)	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
POLYSAN- Edelstahl Press-System Wasser	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich) POLYSAN- Press-System	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
POLYSAN Handelsges. m.b.H. & Co KG (Krems/Öster- reich) POLYSAN-Henco- Press-System	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 18		578356
	TH 20		578358
	TH 26		578362
	HE 32		578370
	HEz 40 ³⁾		578572
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
POLYSAN (España) „Rainbow“	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
Prandelli Multyrama Pf	H 14		578398
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	U 40		578386
Prandelli Multyrama Pfm	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 18		578376
	U 20		578378
	U 40		578386
PURMO Cleverfit Radial	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
	F 32 S (PR-2B)	Mini Z8	574734 R
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	U 32		578382
	VP 16		578482
	VP 20		578484
	VP 32		578488

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
R			
Raccorderie Metalliche aesPRES ¹⁾	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Raccorderie Metalliche inoxPRES ¹⁾	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Raccorderie Metalliche MARINEPRES ¹⁾	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Raccorderie Metalliche steelPRES ¹⁾	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
RBM Tita-fix	B 14		578466
	B 16		578468
	B 18		578470
	B 20		578472
	B 26		578474
	F 16		578456
	F 18		578458
	F 20		578460
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	H 14		578398
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
RBM Tita-gas	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
Redi Nicoll Fluxo	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
Redi Nicoll Fluxo Gas	TH 32 S (PR-2B)	Mini Z8	574798 R
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R

Pressfitting systems for gas installations may only be pressed with the pressing tongs Mini which are highlighted in yellow in the table.

Observe the national regulations. Read and observe the system provider's/manufacture's instructions for use and assembly instructions.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For accommodating suitable pressing inserts.

³⁾ Only pressing tongs from designation "117" (1st quarter of 201), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

⁴⁾ For pipes with the EN technical standard. Observe the system provider's/manufacture's instructions for use.

⁵⁾ For pipes with the ASTM technical standard. Observe the system provider's/manufacture's instructions for use.

Suitability of the ROLLER'S pressing tools for pressfitting systems: Status 12.10.2022. The current status can be found on the Internet:

www.albert-roller.de → Downloads → Product Catalogues, Brochures → ROLLER Catalogue.

See page 79 for adapter tongs. Pressing tongs/pressing rings for other press fitting systems on request.

ROLLER'S pressing tongs Mini / pressing rings

Accessory for ROLLER'S 22kN radial presses

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
RIFENG LD PRESS FITTING (F8)	LD 16		578652
	LD 20		578654
	LD 25		578656
	U 14		578372
	U 16		578374
RIFENG U PRESS FITTING (F5)	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
RIFENG TH PRESS FITTING (F9)	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 26		578362
	TH 32		578364
RIQUIER A SERTIR	TH 40		578624
	RFz 12		578490
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
Roth PressCheck	RN 14		578434
	RN 16		578454
	RN 17		578436
	RN 20		578438
	RN 25/26		578440
Rubinetterie Bresciane Bonomi TURBO CuNi	RN 32		578442
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Rubinetterie Bresciane Bonomi TURBO INOX	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Rubinetterie Bresciane Bonomi TURBO INOX GAS	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Rubinetterie Bresciane Bonomi TURBO STEEL	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Rubinetterie Bresciane Bonomi TURBO PRESS	B 14		578466
	B 16		578468
	B 18		578470
	B 20		578472
	B 26		578474
	B 32		578476
	H 14		578398
	H 16		578400
	H 18		578404
	H 20		578406
	H 26		578410
	H 32		578412
	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 14		578372
	U 16		578374
	U 18		578376
	U 20		578378
	C 26		578392
Rubinetterie Bresciane Bonomi TURBO PRESS GAS	U 32		578382
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
S			
SA.MI plastic	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
SA.MI plastic Multistrato Gas	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
SANHA 3fit-Press Pb-free Serie 25000	B 16		578468
	B 20		578472
	B 26		578474
	B 32		578476
	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	Fz 40		578478
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
	F 32 S (PR-2B)	Mini Z8	574734 R
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	C 26		578392
	U 32		578382
	U 40		578386
SANHA 3fit-Press PPSU Serie 35000	B 16		578468
	B 20		578472
	B 26		578474
	B 32		578476
	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
	F 32 S (PR-2B)	Mini Z8	574734 R
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574728 R
	TH 20 S (PR-2B)	Mini Z8	574730 R
	TH 26 S (PR-2B)	Mini Z8	574732 R
	TH 32 S (PR-2B)	Mini Z8	574734 R
	U 16		578374
	U 20		578378
	C 26		578392
	U 32		578382
SANHA Heavy Steel Press	VMP ¼" (OD 21,3 mm)		578662
	VMPz ¾" (OD 26,9 mm)		578664
SANHA Heavy Steel Press Gas	VMP ¼" (OD 21,3 mm)		578662
	VMPz ¾" (OD 26,9 mm)		578664
SANHA-NiroSan Gas Presssystem Serie 17000	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	V 15 ¹⁾		578328
	V 18 ¹⁾		578332
	V 22 ¹⁾		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
SANHA-NiroSan Industry Presssystem Serie 18000	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	V 15 ¹⁾		578328
	V 18 ¹⁾		578332
	V 22 ¹⁾		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
SANHA-NiroSan-Presssystem Serie 9000	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	V 15 ¹⁾		578328
	V 18 ¹⁾		578332
	V 22 ¹⁾		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
SANHA-NiroSan SF Presssystem Serie 19000 (silicone free)	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	V 15 ¹⁾		578328
	V 18 ¹⁾		578332
	V 22 ¹⁾		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
SANHA NiroTherm Serie 91000	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	V 15 ¹⁾		578328
	V 18 ¹⁾		578332
	V 22 ¹⁾		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
SANHA NiroTherm Industry Serie 98000	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	V 15 ¹⁾		578328
	V 18 ¹⁾		578332
	V 22 ¹⁾		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
SANHA-Press Chrom Serie 16000	SA 12		578510
	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 12		578310
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28		578318
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	V 12		578324
	V 15 ¹⁾		578328
	V 18 ¹⁾		578332
	V 22 ¹⁾		578334
	V 28		578336
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
SANHA-Press GAS Pressfittings Serie 10000/ Serie 11000	SA 12		578510
	SA 14		578512
	SA 15		578514
	SA 16		578516
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 12		578310
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	V 12		578324
	V 14		578326
	VG 14		578338
	V 15 ¹⁾		578328
	V 16		578330
	VG 16		578340
	V 18 ¹⁾		578332
	V 22 ¹⁾		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	VG 14 S (PR-2B)	Mini Z8	574750 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	VG 16 S (PR-2B)	Mini Z8	574754 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
SANHA-Press Pressfittings Serie 6000	SA 12		578510
	SA 14		578512
	SA 15		578514
	SA 16		578516
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 12		578310
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	V 12		578324
	V 14		578326
	VG 14		578338
	V 15 ¹⁾		578328
	V 16		578330
	VG 16		578340
	V 18 ¹⁾		578332
	V 22 ¹⁾		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	VG 14 S (PR-2B)	Mini Z8	574750 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	VG 16 S (PR-2B)	Mini Z8	574754 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R

Pressfitting systems for gas installations may only be pressed with the pressing tongs Mini which are highlighted in yellow in the table.

Observe the national regulations. Read and observe the system provider's/manufacture's instructions for use and assembly instructions.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For accommodating suitable pressing inserts.

³⁾ Only pressing tongs from designation "117" (1st quarter of 201), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

⁴⁾ For pipes with the EN technical standard. Observe the system provider's/manufacture's instructions for use.

⁵⁾ For pipes with the ASTM technical standard. Observe the system provider's/manufacture's instructions for use.

Suitability of the ROLLER'S pressing tools for pressfitting systems: Status 12.10.2022. The current status can be found on the Internet:

www.albert-roller.de → Downloads → Product Catalogues, Brochures → ROLLER Catalogue.

See page 79 for adapter tongs. Pressing tongs/pressing rings for other press fitting systems on request.

ROLLER'S pressing tongs Mini / pressing rings

Accessory for ROLLER'S 22 kN radial presses

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
SANHA-Press SOLAR Pressfittings Serie 12000/ Serie 13000	SA 12		578510
	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 12		578310
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	V 12		578324
	V 15 ¹⁾		578328
	V 18 ¹⁾		578332
	V 22 ¹⁾		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
SANHA PURAPRESS Serie 8000	SA 12		578510
	SA 14		578512
	SA 15		578514
	SA 16		578516
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 12 ¹⁾		578310
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28 ¹⁾		578318
	M 35 ¹⁾		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	V 12		578324
	V 14		578326
	VG 14		578338
	V 15 ¹⁾		578328
	V 16		578330
	VG 16		578340
	V 18 ¹⁾		578332
	V 22 ¹⁾		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	VG 14 S (PR-2B)	Mini Z8	574750 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	VG 16 S (PR-2B)	Mini Z8	574754 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
SANHA-Therm Serie 24000	SA 12		578510
	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 12		578310
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	V 12		578324
	V 15 ¹⁾		578328
	V 18 ¹⁾		578332
	V 22 ¹⁾		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
SANHA-Therm Industry Serie 28000	SA 12		578510
	SA 15		578514
	SA 18		578518
	SA 22		578520
	SA 28		578522
	M 12		578310
	M 15 ¹⁾		578312
	M 18 ¹⁾		578314
	M 22 ¹⁾		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	V 12		578324
	V 15 ¹⁾		578328
	V 18 ¹⁾		578332
	V 22 ¹⁾		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
SANITOP PERMATUBO INOX	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
SANPRO THPRESS	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
SATEC SK ViTerm	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	U 40		578386
SAVEUR REFLEX PEX Water	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
SAVEUR REFLEX PEX-AL-PEX Gas	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
Schütz duo-flex tri-o-flex	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 20		578358
	TH 25		578360
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
Schwer Fittings AQUApress	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
Seppelfricke VSH SudoPress C-Stahl Visu-Control	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
Seppelfricke Seppelfricke VSH SudoPress Edelstahl Visu-Control	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
Seppelfricke VSH SudoPress Kupfer Visu-Control	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
Seppelfricke VSH SudoPress Kupfer Visu-Control	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
Seppelfricke	V 12		578324
VSH SudoPress	V 15		578328
Kupfer Gas	V 18		578332
Visu-Control	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
Seppelfricke	V 15		578328
VSH SudoPress	V 18		578332
Kupfer Solar	V 22		578334
Visu-Control	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
Seppelfricke	M 12		578310
VSH XPress	M 15		578312
C-Stahl	M 18 ¹⁾		578314
	M 22		578316
	M 28 ¹⁾		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Seppelfricke	M 15		578312
VSH XPress	M 18 ¹⁾		578314
Edelstahl	M 22		578316
	M 28 ¹⁾		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574736 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Seppelfricke	M 15		578312
VSH XPress	M 18 ¹⁾		578314
Edelstahl gas	M 22		578316
	M 28 ¹⁾		578318
	M 35		578390
Seppelfricke	M 12		578310
VSH XPress	M 15		578312
Kupfer	M 18 ¹⁾		578314
	M 22		578316
	M 28 ¹⁾		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Seppelfricke	M 15		578312
VSH XPress	M 18 ¹⁾		578314
Kupfer gas	M 22		578316
	M 28 ¹⁾		578318
	M 35		578390
SESTA	TH 14		578348
SESTA GAS	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
SESTA	H 16		578400
sistema	H 20		578406
multistrato	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	U 16		578374
	U 20		578378
SIGMA LI	TH 16		578352
Premium	TH 20		578358
	TH 25		578360
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
SLOVARM	U 16		578374
PEX-THERM	U 20		578378
	H 26		578410
	U 32		578382
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
STANDARD	H 16		578400
HIDRAULICA	H 20		578406
MultiStandard	H 25		578408
	H 32		578412
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
steeltrade	M 15		578312
Presssystem	M 18 ¹⁾		578314
Edelstahl	M 22		578316
Kontur M	M 28 ¹⁾		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
STELBI	H 16		578400
Polikraft	H 20		578406
	H 26		578410
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	C 26		578392
STELBI	TH 16		578352
Stelgas	TH 20		578358
	TH 26		578362
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
STH Westco	M 15		578312
COPPER PRESS	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
T			
TDM BRASS	H 16		578400
Serie 1600	H 18		578404
	H 20		578406
	H 25		578408
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	THL 32		578368
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	C 26		578392
	U 32		578382
TDM BRASS	H 16		578400
Serie 2600	H 18		578404
	H 20		578406
	H 25		578408
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	THL 32		578368
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	C 26		578392
	U 32		578382

Pressfitting systems for gas installations may only be pressed with the pressing tongs Mini which are highlighted in yellow in the table.

Observe the national regulations. Read and observe the system provider's/manufacture's instructions for use and assembly instructions.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For accommodating suitable pressing inserts.

³⁾ Only pressing tongs from designation "117" (1st quarter of 201), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

⁴⁾ For pipes with the EN technical standard. Observe the system provider's/manufacture's instructions for use.

⁵⁾ For pipes with the ASTM technical standard. Observe the system provider's/manufacture's instructions for use.

Suitability of the ROLLER'S pressing tools for pressfitting systems: Status 12.10.2022. The current status can be found on the Internet:

www.albert-roller.de → Downloads → Product Catalogues, Brochures → ROLLER Catalogue.

See page 79 for adapter tongs. Pressing tongs/pressing rings for other press fitting systems on request.

ROLLER'S pressing tongs Mini / pressing rings

Accessory for ROLLER'S 22kN radial presses

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
TDM BRASS Serie 1700 gas	TH 16		578352
	TH 20		578358
	TH 26		578362
	THL 32		578368
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
TermoConcept TC-PRESS	TH 26 S (PR-2B)	Mini Z8	574794 R
	Basic E01 ²⁾		578618
THERMOLUTZ	H 14		578398
	H 16		578400
	TH 20		578358
	TH 20 S (PR-2B)	Mini Z8	574788 R
TE-SA TE-SA press serie 800	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
THERMACOME ACOPEX ALU	TH 32 S (PR-2B)	Mini Z8	574798 R
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	U 16		578374
	U 20		578378
	U 32		578382
	TH 14		578348
	TH 16		578352
TIEMME AL-COBRAPEX Serie 1650	TH 18		578356
	TH 20		578358
	TH 25		578360
	TH 26		578362
	THL 32		578368
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	RFz 12		578490
TIEMME Serie 1700 PE-X a pressare	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
	TH 16		578352
TIEMME TIEMME Gas	TH 20		578358
	TH 26		578362
	THL 32		578368
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
TIGRE ALPEX GAS	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
TKM Systemtechnik	TH 14		578348
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
TRA MULTITRAPRESS	U 16		578374
	U 18		578376
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
TRA TRAPRESS	H 12		578396
	H 16		578400
	H 20		578406
	H 25		578408
	H 32		578412
	RFz 12		578490
	RFz 16		578492
	RFz 20		578494
	RFz 25		578496
	RFz 32		578498
Tradelink TradePex Crimp Water	K16/P18		578592
	K20		578594
	K25		578596
	K32		578598
	K1/40		578600
Tradelink TradePex Crimp Gas	K16/P18		578592
	K20		578594
	K25		578596
	K32		578598
	K1/40		578600
	H 16		578400
	H 18		578404
	H 20		578406
TUBIPLAST ITALY MULTILAYER PIPE	H 26		578410
	H 32		578412
	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 18		578376
	U 20		578378
	C 26		578392
	U 32		578382

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
TUBIPLAST ITALY MULTILAYER PIPE GAS SYSTEM	TH 16		578352
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
TWEETOP	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
U			
UNICALAG MAX-MULTIPEX	U 16		578374
	U 20		578378
	H 26		578410
	C 26		578392
	U 32		578382
UNIDELTA DELTAPRESS	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	U 16		578374
UNIDELTA DELTAPRESS GAS	U 20		578378
	U 32		578382
	U 40		578386
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
UPONOR MLC	TH 32 S (PR-2B)	Mini Z8	574798 R
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	U 16		578374
	U 20		578378
	U 32		578382
	UP 14		578576
	UP 16		578578
UPONOR MLC-D	UP 18		578580
	UP 20		578582
	UP 25		578584
	UP 32		578586
	UP 40		578386
UPONOR MLC-G	UP 16		578576
	UP 20		578578
	UP 25		578582
UPONOR S-Press PLUS	UP 32		578584
	UP 40		578586
	UP 16		578576
	UP 20		578578
UPONOR Uni Pipe PLUS	UP 25		578582
	UP 32		578584
	UP 40		578586
	UP 16		578576
V			
VALSIR Bravopress	B 16		578468
	B 20		578472
	B 26		578474
	B 32		578476
	F 16		578456
	F 20		578460
	F 26		578462
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	H 32 V		578602
	TH 16		578352
	TH 20		578358
	TH 26		578362
VALSIR Bravopress	TH 32		578364
	U 16		578374
	U 20		578378
	C 26		578392
	U 32		578382

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
Valsir PEXAL	H 14		578398
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	H 32 V		578602
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	U 16		578374
	U 20		578378
	C 26		578392
	U 32		578382
Van Marcke NV Tubipex	TH 16		578352
	TH 17		578354
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
Van Marcke NV Tubipress	TH 32 S (PR-2B)	Mini Z8	574798 R
	M 12		578310
	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
Variotherm System TH	TH 11,6		578344
	TH 16		578352
	TH 20		578358
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
VESBO CARBON	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
VESBO INOX	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
VESBO MULTIPRESS TH-U	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	C 26		578392
	U 32		578382
VESBO VPREMIUM	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
Viega Fonterra	VX 12		578550
	VP 14/15		578480
	VP 16/17		578482
	VP 20		578484
	VP 25		578486
Viega MegaPress (ASTM) ⁵⁾	VMP ½" (OD 21,3 mm)		578662
Viega MegaPress 304 FKM (ASTM) ⁵⁾	VMP ½" (OD 21,3 mm)		578662
Viega MegaPress 316 FKM (ASTM) ⁵⁾	VMP ½" (OD 21,3 mm)		578662
Viega MegaPress CuNi FKM (ASTM) ⁵⁾	VMP ½" (OD 21,3 mm)		578662
Viega MegaPress FKM (ASTM) ⁵⁾	VMP ½" (OD 21,3 mm)		578662
Viega MegaPressG (ASTM) ⁵⁾	VMP ½" (OD 21,3 mm)		578662

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
Viega Megapress (EN) ⁴⁾	VMP ¾" (OD 17,2 mm)		578660
	VMP ½" (OD 21,3 mm)		578662
Viega Megapress S (EN) ⁴⁾	VMP ¾" (OD 17,2 mm)		578660
	VMP ½" (OD 21,3 mm)		578662
Viega Pexfit	VX 16		578552
	VX 20		578554
	VX 25		578556
Viega Pexfit Fosta G	VX 16		578552
	VX 20		578554
	VX 25		578556
Viega Prestabo	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
Viega Profipress	V 12		578324
	VG 14		578338
	V 15		578328
	VG 16		578340
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	VG 14 S (PR-2B)	Mini Z8	574750 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	VG 16 S (PR-2B)	Mini Z8	574754 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
Viega Profipress G	V 12		578324
	VG 14		578338
	V 15		578328
	VG 16		578340
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	VG 14 S (PR-2B)	Mini Z8	574750 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	VG 16 S (PR-2B)	Mini Z8	574754 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
Viega Profipress S	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
Viega Profipress Therm	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
Viega ProPress (ASTM) ⁵⁾	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
Viega ProPress 304 FKM (ASTM) ⁵⁾	VUS ½" (OD 15,9 mm)		578566
	VUS ¾" (OD 22,2 mm)		578568
	VUS 1" (OD 28,6 mm)		578570
	VUS 1¼" (OD 34,9 mm)		578606
Viega ProPress 316 FKM (ASTM) ⁵⁾	VUS ½" (OD 15,9 mm)		578566
	VUS ¾" (OD 22,2 mm)		578568
	VUS 1" (OD 28,6 mm)		578570
	VUS 1¼" (OD 34,9 mm)		578606
Viega ProPress 316 (ASTM) ⁵⁾	VUS ½" (OD 15,9 mm)		578566
	VUS ¾" (OD 22,2 mm)		578568
	VUS 1" (OD 28,6 mm)		578570
	VUS 1¼" (OD 34,9 mm)		578606

Pressfitting systems for gas installations may only be pressed with the pressing tongs Mini which are highlighted in yellow in the table.

Observe the national regulations. Read and observe the system provider's/manufacturer's instructions for use and assembly instructions.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For accommodating suitable pressing inserts.

³⁾ Only pressing tongs from designation "117" (1st quarter of 201), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

⁴⁾ For pipes with the EN technical standard. Observe the system provider's/manufacturer's instructions for use.

⁵⁾ For pipes with the ASTM technical standard. Observe the system provider's/manufacturer's instructions for use.

Suitability of the ROLLER'S pressing tools for pressfitting systems: Status 12.10.2022. The current status can be found on the Internet:

www.albert-roller.de → Downloads → Product Catalogues, Brochures → ROLLER Catalogue.

See page 79 for adapter tongs. Pressing tongs/pressing rings for other press fitting systems on request.

ROLLER'S pressing tongs Mini / pressing rings

Accessory for ROLLER'S 22 kN radial presses

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
Viega Propress WATER System AUS	VAU 15 (OD 12,7 mm)		578630
	VAU 20 (OD 19,1 mm)		578632
	VAU 25 (OD 25,4 mm)		578634
	VAU 32 (OD 31,8 mm)		578636
Viega PropressG GAS System AUS	VAU 15 (OD 12,7 mm)		578630
	VAU 20 (OD 19,1 mm)		578632
	VAU 25 (OD 25,4 mm)		578634
	VAU 32 (OD 31,8 mm)		578636
Viega Raxinox	VRX 16		578640
	VRX 20		578642
Viega Raxofix	VRX 16		578640
	VRX 20		578642
	VRX 25		578644
	VRX 32		578646
Viega Sanfix	VP 16/17		578482
	VP 20		578484
	VP 25		578486
	VP 32		578488
Viega Sanfix Fosta	VP 16/17		578482
	VP 20		578484
	VP 25		578486
	VP 32		578488
Viega Sanpress	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
Viega Sanpress Inox	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
Viega Sanpress Inox G	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
Viega Smartpress	VX 16		578552
	VX 20		578554
	VX 25		578556
Viessmann	TH 14		578348
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
Vogel & Noot EASYTEC	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
VSH MultiPress	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 14		578372
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
	TH 14		578348
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
VSH MultiPress Gas	U 16		578374
	U 20		578378
	U 25		578380
	TH 16		578352
	TH 20		578358
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
VSH SudoPress Carbon	V 12		578324
	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
VSH SudoPress Copper	V 12		578324
	V 14		578326
	V 15		578328
	V 16		578330
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 12 S (PR-2B)	Mini Z8	574748 R
	V 14 S (PR-2B)	Mini Z8	574800 R
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 16 S (PR-2B)	Mini Z8	574802 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
VSH SudoPress Stainless	V 35 S (PR-2B)	Mini Z8	574762 R
	V 12		578324
	V 14		578326
	V 15		578328
	V 16		578330
	V 18		578332
	V 22		578334
VSH XPress Carbon	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
	M 12		578310
	M 15		578312
	M 18 ¹⁾		578314
VSH XPress Copper	M 22		578316
	M 28 ¹⁾		578318
	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	M 12		578310
	M 15		578312
	M 18 ¹⁾		578314
	M 22		578316
	M 28 ¹⁾		578318
VSH XPress Stainless	M 35		578390
	M 12 S (PR-2B)	Mini Z8	574736 R
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	M 15		578312
	M 18 ¹⁾		578314
	M 22		578316
VSH XPress Copper GAS	M 28 ¹⁾		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	M 15		578312
	M 18 ¹⁾		578314
	M 22		578316
VSH XPress Stainless Gas	M 28 ¹⁾		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
	M 15		578312
	M 18 ¹⁾		578314
	M 22		578316
W			
Watts MTR Art press	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
WATTS RADIANT Watts WaterPEX	US ¾"		578534
	US ½"		578536
	US ¾"		578538
	US 1"		578540
WATTS RADIANT Watts RadiantPEX	US ¾"		578534
	US ½"		578536
	US ¾"		578538
	US 1"		578540
WATTS RADIANT Watts RadiantPEX-AL	U 16 (¾")		578374
	U 20 (¾")		578378
	U 25 (¾")		578380
	U 32 (1")		578382

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
Wavin Tigris K5/M5	B 16		578468
	B 20		578472
	B 32		578476
	H 16		578400
	H 20		578406
	H 25		578408
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 25		578360
	TH 32		578364
	TH 40		578624
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	U 40		578386
	UP 16		578578
	UP 20		578582
	UP 25		578584
	UP 32		578586
WEECON PRESS-C-Stahl	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
WEECON PRESS-Edelstahl	M 15		578312
	M 18		578314
	M 22		578316
	M 28		578318
	M 35		578390
	M 15 S (PR-2B)	Mini Z8	574738 R
	M 18 S (PR-2B)	Mini Z8	574740 R
	M 22 S (PR-2B)	Mini Z8	574742 R
	M 28 S (PR-2B)	Mini Z8	574744 R
	M 35 S (PR-2B)	Mini Z8	574746 R
WEECON PRESS-Kupfer	V 15		578328
	V 18		578332
	V 22		578334
	V 28		578336
	V 35		578604
	V 15 S (PR-2B)	Mini Z8	574752 R
	V 18 S (PR-2B)	Mini Z8	574756 R
	V 22 S (PR-2B)	Mini Z8	574758 R
	V 28 S (PR-2B)	Mini Z8	574760 R
	V 35 S (PR-2B)	Mini Z8	574762 R
WEM	U 16		578374
	TH 14		578348
	TH 16		578352
	TH 18		578356
	TH 20		578358
WIELAND cuprotherm CTX	TH 26		578362
	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 20		578358
WKS-Press	TH 26		578362
	TH 14		578348
	TH 16		578352
	TH 17		578354
	TH 20		578358

System	Pressing tongs/pressing ring	Drive with adapter tongs	Art.-No.
WÜRTH Würth	TH 16		578352
	TH 20		578358
	TH 26		578362
	HE 32		578370
X			
XtraConnect	F 16		578456
	F 20		578460
	F 26		578462
	F 32		578464
	F 16 S (PR-2B)	Mini Z8	574728 R
	F 20 S (PR-2B)	Mini Z8	574730 R
	F 26 S (PR-2B)	Mini Z8	574732 R
	F 32 S (PR-2B)	Mini Z8	574734 R
	H 16		578400
	H 20		578406
	H 26		578410
	H 32		578412
	TH 16		578352
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 16 S (PR-2B)	Mini Z8	574782 R
	TH 20 S (PR-2B)	Mini Z8	574788 R
	TH 26 S (PR-2B)	Mini Z8	574794 R
	TH 32 S (PR-2B)	Mini Z8	574798 R
(DN 26)	U 16		578374
	U 20		578378
	U 25		578380
	U 32		578382
	VP 16		578482
	VP 20		578484
	VP 32		578488
Y			
YX COPPER UNIPEX Water & Gas (AUS)	Yz 16 UNI		578740
	Yz 20 UNI		578742
	Yz 25 UNI		578744
	Yz 32 UNI		578746
Z			
ZEWO THERM Zewo Press Premium	TH 12		578346
	TH 16		578352
	TH 17		578354
	TH 18		578356
	TH 20		578358
	TH 26		578362
	TH 32		578364
	TH 40		578624
	TH 16		578352
	TH 20		578358
ZEWO THERM Zewo Press PPSU	TH 26		578362
	TH 32		578364
	US ¾"		578534
	US ½"		578536
	US ¾"		578538
ZURN INDUSTRIES ZURN PEX	US 1"		578540

Pressfitting systems for gas installations may only be pressed with the pressing tongs Mini which are highlighted in yellow in the table.

Observe the national regulations. Read and observe the system provider's/manufacturer's instructions for use and assembly instructions.

¹⁾ Only pressing tongs from designation "108" (1st quarter of 2008), "208" (2nd quarter of 2008) etc. can be used. The designation is stamped on every pressing jaw.

²⁾ For accommodating suitable pressing inserts.

³⁾ Only pressing tongs from designation "117" (1st quarter of 201), "217" (2nd quarter of 2017) etc. can be used. The designation is stamped on every pressing jaw.

⁴⁾ For pipes with the EN technical standard. Observe the system provider's/manufacturer's instructions for use.

⁵⁾ For pipes with the ASTM technical standard. Observe the system provider's/manufacturer's instructions for use.

Suitability of the ROLLER'S pressing tools for pressfitting systems: Status 12.10.2022. The current status can be found on the Internet:

www.albert-roller.de → Downloads → Product Catalogues, Brochures → ROLLER Catalogue.

See page 79 for adapter tongs. Pressing tongs/pressing rings for other press fitting systems on request.



Accessories

Art.-No.

Adaptor tongs Mini Z8

for driving the ROLLER'S pressing rings S (PR-2B)

574700 R

Steel case with inlay for 8 pressing tongs Mini / cropping tongs Mini and shelf for pipe cutter up to Ø 42 mm

578295 A

Steel case with inlay for Mini Z8 adapter tongs and Z8 adapter tongs as well as 6 ROLLER'S pressing rings S (PR-2B)

574516 A

L-Boxx system case with inlay for 11 pressing tongs Mini / cropping tongs Mini and 6 pressing rings S (PR-2B)

578659 A

L-Boxx system case with inlay for Mini Z8 adapter tongs and Z8 adapter tongs as well as 14 ROLLER'S pressing rings S (PR-2B)

574704 A